

- Oboh G, Oyeleye SI, Akintemi OA, Olasehinde TA. 2018. Moringa oleifera supplemented diet modulates neurotropic-related biomolecules in the brain of STZ-induced diabetic rats treated with acarbose. *Metab Brain Dis*, 33(2): 457-66.
- Ohkawa H, Ohishi N, Yagi K. 1979. Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal Biochem*, 95: 351-8.
- Ozerol E, Bilgic S, Iraz M, Cigli A., Ilhan A., Akyol O. 2009. The protective effect of erdosteine on short-term global brain ischemia/reperfusion injury in rats. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 33(1): 20-4.
- Pari L, Sankaranarayanan C. 2009. Beneficial effects of thymoquinone on hepatic key enzymes in streptozotocin-nicotinamide induced diabetic rats. *Life Sci*, 85: 830-4.
- Patrick AW, Campbell IW. 1990. Fatal hypoglycemia in insulin-treated diabetes-mellitus – clinical-features and neuropathological changes. *Diabetic Med*, 7: 349-54.
- Placer ZA, Cushman LL, Johnson BC. 1966. Estimation of product of lipid peroxidation (malonyl dialdehyde) in biochemical systems. *Anal Biochem*, 16(2): 359-64.
- Randhawa MA, Alghamdi MS, Maulik SK. 2013. The effect of thymoquinone, an active component of *Nigella sativa*, on isoproterenol induced myocardial injury. *Pak J Pharm Sci*, 26: 1215-9.
- Rivoira M, Rodríguez V, Picotto G, Battaglini R, Tolosa de Talamoni N. 2018. Naringin prevents bone loss in a rat model of type 1 Diabetes mellitus. *Arch Biochem Biophys*, 637: 56-63.
- Sadek KM, Lebda MA, Nasr SM, Shoukry M. 2017. *Spirulina platensis* prevents hyperglycemia in rats by modulating gluconeogenesis and apoptosis via modification of oxidative stress and MAPK-pathways. *Biomed Pharmacother*, 92: 1085-94.
- Sawada M, Yamamoto H, Ogasahara A, Tanaka Y, Kihara S. 2019. β -aminoisobutyric acid protects against vascular inflammation through PGC-1 β -induced antioxidative properties. *Biochem Biophys Res Commun*, 516: 963-8.
- Sharma G, Ashhar MU, Aeri V, Katare DP. 2019. Development and characterization of late-stage diabetes mellitus and -associated vascular complications. *Life Sci*, 216: 295-304.
- Sharma R, Rosenberg A, Bennett ER, Laskowitz DT, Acheson SK. 2017. A blood-based biomarker panel to risk-stratify mild traumatic brain injury. *PLoS One*, 12: e0173798.
- Sedlak J, Lindsay RH. 1968. Estimation of total, protein-bound, and nonprotein sulfhydryl groups in tissue with Ellman's reagent. *Anal Biochem*, 25(1): 192-205.
- Shi CX, Zhao MX, Shu XD, Xiong XQ, Wang JJ, Gao XY, Chen Q, Li YH, Kang YM, Zhu GQ. 2016. β -aminoisobutyric acid attenuates hepatic endoplasmic reticulum stress and glucose/lipid metabolic disturbance in mice with type 2 diabetes. *Sci Rep*, 6: 21924.
- Shoji H, Koletzko B. 2007. Oxidative stress and antioxidant protection in the perinatal period. *Curr Opin Clin Nutr Metab Care*, 10: 324-8.
- Tanianskii DA, Jarzebska N, Birkenfeld AL, O'Sullivan JF, Rodionov RN. 2019. Beta-Aminoisobutyric Acid as a Novel Regulator of Carbohydrate and Lipid Metabolism. *Nutrients*, 11: 524.
- Tolman KG, Fonseca V, Dalpiaz A, Tan MH. 2007. Spectrum of liver disease in type 2 diabetes and management of patients with diabetes and liver disease. *Diabetes Care*, 30: 734-43.
- Triglycerides. Why do they matter? <https://www.mayoclinic.org/diseases-conditions/high-blood-cholesterol/in-depth/triglycerides/art-20048186> erişim tarihi. 25.07.2020.
- Usta A, Dede S. 2017. The Effect of Thymoquinone on Nuclear Factor Kappa B Levels and Oxidative DNA Damage on Experimental Diabetic Rats. *Pharmacogn Mag*, 13: 458-61.
- Wang H, Qian J, Zhao X, Xing C, Sun B. 2017. β -Aminoisobutyric acid ameliorates the renal fibrosis in mouse obstructed kidneys via inhibition of renal fibroblast activation and fibrosis. *J Pharmacol Sci*, 133: 203-13.
- Wang J, Wang L, Zhou J, Xing C, Sun B. 2018. The protective effect of formononetin on cognitive impairment in streptozotocin (STZ)-induced diabetic mice. *Biomed Pharmacother*, 106: 1250-57.
- Yahyazadeh A, Altunkaynak BZ. (2020). Effect of Luteolin on Biochemical, Immunohistochemical, and Morphometrical Changes in Rat Spinal Cord following Exposure to a 900 MHz Electromagnetic Field. *Biomed Environ Sci*, 33(8): 593-602.
- Yahyazadeh A, Altunkaynak BZ. (2019). Protective effects of luteolin on rat testis following exposure to 900 MHz electromagnetic field. *Biotech Histochem*, 23:1-10.
- Yajing L, Chen M, Xuan H, Fuliang H. 2012. Effects of encapsulated propolis on blood glycemic control, lipid metabolism, and insulin resistance in type 2 diabetes mellitus rats. *Evid Based Complement Alternat Med*, 2012: 1-8.
- Zhou G, Yan M, Guo G, Tong N. 2019. Ameliorative Effect of Berberine on Neonatally Induced Type 2 Diabetic Neuropathy via Modulation of BDNF, IGF-1, PPAR- γ , and AMPK Expressions. *Dose Response*, 17(3): 1559325819862449