



















- S, Zheng X, He H, Li Y, You F, Zhang M, Chen Q. 2020. Composition of gut and oropharynx bacterial communities in *Rattus norvegicus* and *Suncus murinus* in China. BMC Veterinary Research, 16(1): 1–11.
- Kakumanu MI, Maritz JM, Carlton JM, Coby S. 2018. Overlapping Community Compositions of Gut and faecal Microbes in lab-reared and Field-collected German Cockroaches. Applied and Environmental Microbiology, 84(17): e01037-18
- Kimwaga RB, Mzula A, Mnyone LL. 2023. Antimicrobial Profiles of Pathogenic Enteric Bacteria Isolated from Commensal Rodents and Cockroaches from Morogoro Region in Tanzania: An Environmental Vehicle for Resistance Transmission to Human and Animals. Journal of Health, Medicine and Nursing, 105 (2023): 1-8.
- Lee S, Kim JY, Yi M, Lee I., Hye WL, Moon S, Yong D. 2020. Comparative Microbiome Analysis of Three Species of Laboratory-Reared *Periplaneta* Cockroaches. The Korean Journal of Parasitology, 58(5): 537–542.
- Mkopi JC, Mushi J, Mzula, A. 2024. Occurrence and antimicrobial resistance pattern of *Escherichia coli* and *Salmonella* species isolated from domestic and peridomestic rodents. German Journal of Microbiology, 4 (2): 15-28. <https://doi.org/10.51585/gjm.2024.2.0034>
- Ndakidemi FP, Baravuga ME., Mzula A, Katakweba AS. 2023. Antimicrobial susceptibility patterns and molecular phylogenetics of *Proteus mirabilis* isolated from domestic rats: environmental Tanzania. German Journal of Microbiology, 3(1):13-23. <https://doi.org/10.51585/gjm.2023.1.0022>
- Noman MS, Liu L, Bai Z, Li Z. 2019. Tephritidae bacterial symbionts: potentials for pest management. Bulletin of Entomological Research, 110(1): 1-14.
- Pan X, Wang X, Zhang F. 2020. New Insights into Cockroach Control: Using Functional Diversity of *Blattella germanica* Symbionts. Insects, 11(10): 696.
- Schauer C, Thompson CL, Brune A. 2012. The bacterial community in the gut of the cockroach *Shelfordella lateralis* reflects the close evolutionary relatedness of cockroaches and termites. Applied and Environmental Microbiology, 78(8): 2758–2767.
- Sepulveda J, Moeller AH. 2020. The effects of temperature on animal gut microbiomes. Frontiers in Microbiology, 11: 384.
- Shapiro-Ilan DI, Gaugler R. 2002. Production technology for entomopathogenic nematodes and their bacterial symbionts. Journal of Industrial Microbiology and Biotechnology, 28(3): 137-146.
- Teysier A, Rouffaer LO, Hudin NS, Strubbe D, Matthyssen E, Lens L, White J. 2018. Inside the guts of the city: urban-induced alterations of the gut microbiota in a wild passerine. Science of the Total Environment, 612: 1276-1286.
- Tinker KA, Ottesen EA. 2016. The core gut microbiome of the American cockroach, *Periplaneta americana*, is stable and resilient to dietary shifts. Applied and Environmental Microbiology, 82(22): 6603–6610.
- Turnbaugh PJ, Ridaura VK, Faith JJ, Rey FE, Knight R, Gordon, JI. (2009). The effect of diet on the human gut microbiome: a metagenomic analysis in humanized gnotobiotic mice. Science Translational Medicine, 1(6): 6ra14-6ra14.
- Vicente CS, Ozawa S, Hasegawa K. 2016. Composition of the cockroach gut microbiome in the presence of parasitic nematodes. Microbes and Environments, 31(3): 314–320.
- Wang Z, Zhang C, Li G, Yi X. 2022. The influence of species identity and geographic locations on the gut microbiota of small rodents. Frontiers in Microbiology, 13: 983660.
- Weiss B, Aksoy S. 2011. Microbiome influences on insect host vector competence. Trends in Parasitology, 27(11): 514–522.